	Application No.	Applicant(s)
Notice of Allowability	10/518,353	SHIRAISHI, YOSHINORI
	Examiner	Art Unit
	Stephen Gravini	3749
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>papers filed through F</u>	-ebruary 1, 2006 .	
2. The allowed claim(s) is/are <u>1-14</u> .		·
 Acknowledgment is made of a claim for foreign priority unally a) All b) ☐ Some* c) ☐ None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	• •	complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 		
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deposition of the deposition	con's Patent Drawing Review (PTO- constant). S Amendment / Comment or in the Constant of the Constant of the drawing the header according to 37 CFR 1.121(constant of BIOLOGICAL MATERIAL notes).	office action of the back) of d).
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGICA	AL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. A Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. ☐ Examiner's Amendr	
Paper No./Mail Date 20060201 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	 8.	ent of Reasons for Allowance
	·	

Application/Control Number: 10/518,353 Page 2

Art Unit: 3749

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the claimed invention with the features of a number of elastic water absorption members radially disposed in an umbrella insertion opening with clearances of predetermined pitches between each water absorption member and arranged radially and a processing section of foundation owner recruitment displaying home page contents of foundation explanation and enterprise management of device for removing a water drop an umbrella with advertisement and foundation proposer recruitment is not found in the prior art either singly or in combination. The closest prior art reference with respect to the first independently claimed invention is considered Shishido (JP 2002 168562) which discloses umbrella insertion into elastically deformable water absorbers but not the independently claimed radially disposed openings of predetermined pitches and Kansei Corp. (JP 05 083687) which discloses an accordion tube wall structure in the field of endeavor encompassing umbrella dehydrators but not the independently claimed number of elastic water absorption members. The closest prior art reference with respect to the second independently claimed invention is considered Hinode Planning (JP 2003 016297) which is applicant's later filed foreign application. Examiner broadly and reasonably construes the independently claimed "elastic members" from the specification page 9 to be a pillar shaped elastic member with a triangle section made of foam material and variants thereof to form an inclined surface which is considered patentably unique in the filed of umbrella drying. Other prior art references cited with this action are considered to disclose one or more elements of the claimed

Art Unit: 3749

invention, but not the necessary motivation or combination suggestion to obviate the claimed invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Gravini whose telephone number is 571 272 4875. The examiner can normally be reached on normal weekday business hours (east coast time).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ehud Gartenberg can be reached on 571 272 4828. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000. Stephen Shami

SMG May 25, 2006